

HULL

- Color - White w/colored inset & waterline
- Structural lamination multi-directional knitted fiberglass w/vinyl ester skin coat
- Stringers – Fiberglass encapsulated full length composite stringers
- Boarding platform with stainless steel through bolted brackets and under mounted telescopic swim ladder
- Hull Guards - UV-stabilized black PVC-guards: anchor, and sheer-guard w/316 Stainless Steel inset
- Fasteners - All exterior fasteners 316 Stainless Steel
- Bottom Paint – Ablative antifouling (2 coats/black)
- Bilge Pumps - 2000 GPH in 2 compartments & 500 gph forward with auto/manual switches at helm
- Bonding System -anodes on transom, rudder, and shoe

DECK

- Color – White
- Deck - Molded textured surface in walking & work areas
- Deck - Raised side decks
- Drains – cockpit
- Cockpit Shower
- Anchor Roller Assembly
- Windlass - 1000W controlled at helm and foot controls
- Bow Bitt - 316 stainless steel Samson post
- Storage - Deck hatch to lazarette w/sealing gasket
- Deck Rails - Deck, 1" bow and stern
- Deck Box - hinged w/LPG 20# tank
- Hand Rails - 1" 316 stainless steel full length hand rails over pilot house doors and each side of salon roof
- Hand Grab - 316 SS on transom over swim ladder
- Windows - DIAMOND SEA GLAZE® Powder- coated finish, sliding windows in salon (2) and pilothouse (2)
- Doors - DIAMOND SEA GLAZE® Powder-coated: two sliding pilot house entry and one aft hatch style entry door w/drop sliding window and screen
- Portlights - 8" round w/screens (2) – Black Finish
- Cleats - 8" cap rail mounted 316 stainless steel mooring cleats (6) w/chocks (2)
- Deck Fittings, 316 stainless steel - 2" fuel fill, 1-1/2"

water fill, 1-1/2" waste suction

- Pennant Staff receiver - in bow rail
- Lazarette vents, polished Stainless Steel

PROPULSION / ENGINE ROOM

- Engine – Single Yanmar 110hp @ 3200 rpm diesel
- Alternator – 125 amp (12v)
- Fuel Filter - Primary 10 micron element secondary two micron element on the engine
- Exhaust - 3" horizontal water lift muffler, transom exit
- Propeller – Left Handed Rotation
- Propeller Shaft - 1.50" stainless steel w/PSS® drip-less shaft seal
- Seawater Strainers
- Potable Water Pump – 12V Variable pressure
- Lights - engine room (2) LED
- Sound Insulation – Hush kit, 1" barrier silver Mylar
- Outlet – 110VAC GFCI

HEATING

- Hydronic heat off engine with three outlets

GALLEY

- Cooktop - 2-burner propane
- Refrigerator, Nova Kool® R2600 12VDC under counter - [2.4cf / 68L] w/ black face
- Countertop – Laminate w/sea rail
- Sink - stainless steel, single bowl w/faucet
- Cabinets – Sapele faced
- Storage Locker
- Drawers - full extension ball bearing tracks & sea locks w/sapele faces
- Lights - Overhead, 12VDC LED (2)

COMPANIONWAY

- Lighted Storage locker 110VAC outlet, 12VDC/USB

SALON

- Dinette, Convertible to full berth w/ removable storage bins underneath, laminated table & sapele sea rail
- Outlets – 110VAC, 12VDC/ USB
- Lights - Overhead, 12VDC LED (2)
- Fusion Stereo with (2) speakers

PILOT HOUSE

- Helm seats - fixed w/foot rest
- Overhead Instrument Console
- Engine Control – single lever shift/ throttle
- Engine Monitoring
- Bow Thruster with joystick control
- Compass - binnacle
- Windshield wipers - pantograph style, on/off (3)
- Fan - 12VDC
- Power Port - 12VDC/ USB
- Hatch (1) - 20" w/ screen
- Stereo Speakers (2)
- Ocean Air Sky Screen for hatch

FORWARD CABIN (FOC'SLE)

- Offset full berth – upholstered foam mattress w/storage under
- Chain locker forward with access hatch
- Lights - Reading, 12VDC LED (2)
- Hatch - 20" with screen
- Ocean Air Skyscreen for foredeck hatch

HEAD COMPARTMENT

- Toilet –electric - fresh water flush
- Molded one-piece head unit w/fiberglass sink and faucet/shower wand
- Shower - curtain & track, textured shower sole
- Mirror - On door
- Fixtures - towel ring, toilet paper holder & robe hook
- Door - Sapele entry with latch
- Lights - Overhead, LED
- Outlet - 110VAC GFCI

INTERIOR FINISH AND TRIM

- Upholstery – Ultraleather – Salon & Pilot House
- Floor carpet Throughout
- Cabinet Tops – Laminate tops with sea rail trim
- Sapele trim & doors
- Overhead and bulkhead covering – Foam back vinyl
- Walls – Foam back vinyl
- Day/Night Shades for Windows in Salon & Galley
- Porthole Shades by Clozure. Standard color is white

LAZARETTE

- Gel coated and ventilated
- Steering gear
- Storage space

STEERING SYSTEM

- Steering System –
- Rudder and Shoe – stainless steel w/sacrificial anode
- Rudder port bearing and shaft lip seal
- Tiller Arm - Bronze w/rudder stops
- Helm Wheel – Stainless Steel
- Bow Thruster - SIDE-POWER® SE40/125S 88lbs/40kg of Thrust

12V DC ELECTRICAL SYSTEM

- Battery, Start - 12V AGM Group-31 w/box,
- Batteries, House - 6V AGM deep cycle golf-cart type (2) w/boxes, 220 amp hours
- Breaker Panel 12VDC - BLUE SEAS w/LED lights
- Battery selector - BLUE SEAS® rotary switch
- Wire - marine grade tinned copper throughout

110V AC ELECTRICAL SYSTEM

- Shore power connection - 30A, with 50' cord, starboard
- Breaker panel - BLUE SEAS® 110VAC with LED lights ELCI main circuit breaker w/digital multi-meter
- Battery Charger – 12V Charger, 50 amp, 3 output

NAVIGATION / ELECTRONICS

- Garmin GPSMAP 922 Display, GMR 18x Radar,
- Thru-Hull Transducer Airmar B-60, VHF 215 Radio w/Antenna

SAFETY PACKAGE

- Fire Extinguishers (3) 2 LB
- High bilge water alarm
- Smoke & CO2 detector in Fwd cabin & central seating area
- Horn - Single Electric
- Light - Anchor, LED, USCG approved
- Lights - Navigation, LED, USCG approved

- Potable Water Polyethylene – 40 gallon in two tanks w/crossover line
- Fuel Tank – 100 gallon with sight tube
- Gray Water Sump for shower 800GPH
- Black Water – 20 gallon in keel, w/ deck pump out
- Tank Monitoring – Fuel analog at helm
- Tank Monitoring - Black water alarm light "full" at head
- Heater, Water - 6-gallon electric/engine heat

DIMENSIONS

- Length Overall - 28' 9" / 8.76m (w/swim platform & bow roller)
- Waterline length – 26' 4"
- Beam - 9' 6" / 2.89m
- Draft - 3' 3" / 0.99m
- Displacement Weight - 8,500 lbs / 3,859kg
- Height above waterline – 8' 7" to stack
- Headroom - Forward Cabin 6' 0" / 1.83m
- Headroom - Pilot House 6' 2" / 1.88m
- Headroom - Salon 6' 4" / 1.93m

OWNER'S PACKAGE

- Engine & Reduction Gear manuals
- Component owner's manuals – in red binder
- Nordic Tug Operators Manual – in red binder
- 10-micron fuel filter element for main engine RACOR®
- Matched gel coat touch-up kit
- Multi-Bit Screwdriver & Stainless Steel Deck Fitting Key
- Fenders & docking lines
- Shaft Seal Collar O-Ring Kit
- Container box w/ lid