

HULL

- Color White gel coat hull w/colored inset & waterline
- Structural lamination multi-directional knitted fiberglass w/vinyl ester skin coat
- Stringers Fiberglass encapsulated full length composite stringers
- Boarding platform, integrated in hull w/telescopic ladder
- Hull Guards UV-stabilized PVC-guards: anchor, hull and sheer, 316 stainless steel inset on hull side guard
- Fasteners All exterior fasteners 316 stainless steel
- Bottom Paint Ablative antifouling (2 coats/black)
- Bilge Pumps 3 ea. 2000 GPH w/auto/manual switches at helm
- Bonding System bonding anodes on transom plus rudder, shoe and thruster anodes

DECK

- · Color White gel coat
- · Deck Molded textured surface in walking & work areas
- Deck Raised walk-around side decks
- Courtesy Lighting in Cockpit
- Pass through transom walk through w/ Drop-n-Door
- · Drains cockpit
- · Cockpit Shower
- Anchor Roller Assembly Polished Stainless Steel
- Windlass 1200w controlled at helm & foot controls
- Storage cockpit deck box w/hinged lid, drain & latch
- Storage Deck hatch to lazarette w/sealing gasket and gas-assist lifts
- Bow Rails Deck, 1-1/4", 316 stainless steel bow & stern
- Hand Rails 1-1/4" 316 stainless steel full length hand rails over pilot house doors and each side of salon roof
- Boat deck Hand Rails 1-1/4" 316 stainless steel 30" high on salon cabin top and ladder on port side
- Hand Grabs 316 stainless steel, two forward of pilot house doors
- Hand Grab 316 stainless steel on transom over swim ladder.
- Windows DIAMOND SEA GLAZE® Powder- coated finish, sliding windows in salon and pilothouse
- Doors DIAMOND SEA GLAZE® Powder-coated: two sliding pilot house entry and one aft hatch style entry door w/drop sliding window and screen
- Portlights 8" 316 stainless steel round w/screens in forward cabin trunk (3)
- Cleats 10" cap rail mounted 316 stainless steel mooring cleats (8)
- Deck Fittings, 316 stainless steel 2" fuel fill, 1-1/2" water fills (2), 1-1/2" waste suction
- Pennant Staff receiver in bow rail
- Lazarette Vents polished stainless steel

PROPULSION / ENGINE ROOM

- · Engine Single
- Alternator 130 Amps (12Volt)
- Fuel Filter 10 micron single stage primary filter w/ 2 micron secondary filter on engine
- Exhaust 5" horizontal water lift muffler, transom exit
- Propeller Left Hand, tuned to Class 1 ISO-484 pitch tolerances
- Propeller Shaft 1.75" SS w/PSS® drip-less shaft seal
- · Seawater Strainers -
- Potable Water Pump 12V variable pressure
- Sound Insulation Hush kit, 1" barrier silver mylar
- Lights engine room (2) LED
- Outlet 110VAC GFCI

HEATING

• Heating System - Hydronic heat off engine w/three outlets

GALLEY

- Cooktop 2-burner propane
- Microwave, Convection Located on the aft face of the port seat box, fwd end of the galley
- Refrigerator, under counter AC/DC 4.3cf, Sapele faced
- Countertop Acrylic solid surface countertop w/coved backsplash & sea rail
- Sink Stainless steel, single bowl w/ single lever spray extension faucet.
- Cabinets Sapele flush face frames & drawer faces; doors & drawers w/push type sea locks & soft close slides
- Storage Sapele corner cabinet above counter w/smoke lens/sapele door
- · Lights Overhead, 12VDC LED
- Outlets 110VAC GFCI protected (2)
- •

COMPANIONWAY

- · Lights- Stair, Red LED, at step riser
- Storage locker

SALON

- Hanging Locker w/ hooks
- Table Sapele top w/ Hi/Lo moveable table base
- Speakers (2) speakers
- Settee Converts to double berth w/storage under
- Valances Sapele
- Lights Overhead, 12VDC LED (4)
- · Lights Stair, red LED at step riser
- Outlets 110VAC(2), 12VDC/ USB
- Storage Cabinet Forward salon w/doors



PILOT HOUSE

- Helm Seat adjustable slider w/ foot rests
- Overhead Instrument Console Sapele, w/12VDC power terminal block - Fusion Stereo & white & red LED lights (2)
- Stereo Speakers (2)
- Engine Control electronic single lever throttle/shift
- Engine Monitoring 7" LCD digital display panel: water temp, oil pressure, battery volts, tachometer, & fuel burn
- Bow Thruster Control joystick
- Compass flush mount
- Windshield wipers pantograph style, adjustable speed, self-parking w/ washer system (3)
- Fans 12VDC (2)
- Lights Overhead, 12VDC LED (2)
- Outlet 110VAC
- Power Ports 12VDC/ USB (2)
- Hatch 20" w/ screen & Sunshade

MASTER CABIN

- Full size island berth w/ 2 drawers under, innerspring mattress w/ storage underneath berth
- Chain locker forward with access hatch
- · Hanging Locker- Lighted w/sapele door
- Lights Over berth, 12VDC LED w/stainless steel bezel (2)
- Lights Reading, 12VDC LED over berth (2) in aft of cabin
- Outlet 110VAC (2), 12VDC/ USB (2) both sided of berth
- Hatch 22" w/screen & Sunshade
- Hull side cabinet, starboard, w/sapele door
- · Sliding sapele entry door

HEAD COMPARTMENT

- · Toilet electric fresh water
- Sink Fiberglass w/ acrylic solid surface counter top and faucet
- Shower w/seat, curtain & track, textured shower sole
- Cabinet Vanity w/sliding door
- · Cabinet Medicine
- Mirror Over sink
- · Fixtures towel ring, bars & toilet paper holder
- Door Sapele entry w/latch
- Flooring AMTICO inlays
- · Lights Overhead, LED
- Outlet 110VAC GFCI

INTERIOR FINISH AND TRIM

- Upholstery Choice of materials & colors (TBD)
- Carpet Color (TBD)
- Cabinet Tops Laminate w/ Sapele sea rail
- Flush sapele cabinet door and drawer faces
- Valances, Sapele Salon
- Sapele interior passageway doors and trim
- Overhead Foam backed vinyl
- Walls Sapele wainscot paneling & foam backed vinyl upper walls
- Day/Night Shades
- Ocean Air Sky-Screen(s)
- Porthole Covers by Clozure Color is white

LAZARETTE

- · Gel coated and ventilated
- Storage space
- · Steering gear

STEERING SYSTEM

- · Steering System manual hydraulic
- Rudder and Shoe Stainless steel w/sacrificial anode
- Rudder port bearing and shaft lip seal
- Tiller Arm Bronze w/rudder stops
- Helm Wheel Teak w/stainless steel spokes
- · Autopilot control
- Bow Thruster SIDE-POWER® SE60/185S-12V, 132lb thrust

12V DC ELECTRICAL SYSTEM

- Battery Charger 60amp w/3-outputs
- Batteries, Start 12V AGM Group-31 (1)
- Batteries, Thruster 12V AGM Group-31 (2) w/boxes
- Batteries, House 6V AGM deep cycle golf-cart type (4) w/boxes, 760 amp hours
- Breaker Panel, BLUE SEAS 360® w/LED lights
- · Battery parallel switch
- Wire marine grade tinned copper throughout

110V AC ELECTRICAL SYSTEM

- Shore power connection 30A, w/50' cord, starboard side mid-ship
- Breaker panel BLUE SEAS® 360 panel 110VAC w/LED lights ELCI main CB w/digital multi-meter
- Inverter/Charger 3000 Watt



NAVIGATION / ELECTRONICS

 Garmin GPSMAP 8612XSV Display, GMR 24X Radar, AIS 800, VHF 215 Radio w/Antenna, Bronze Transducer Airmar B-60

SAFETY PACKAGE

- Fire Extinguishers, (1) 5 LB and (2) 2 LB
- High bilge water alarm
- · Smoke detector in Master cabin & Central seating area
- · Horn Dual Electric
- Light Anchor, LED, USCG approved
- · Lights Navigation, LED, USCG approved
- · Canadian Declaration of Conformity

TANKAGE

- Fuel tank 205-gallon w/ shut off valves & sight gauge
- Potable Water Tank, Polyethylene 100-gallon in two tanks w/crossover line and electric level gauge
- Gray Water Tank 26-gallon in keel w/auto 12VDC pump
- Black Water Tank 30-gallon in keel, w/deck pump out location
- Tank Monitoring Analog
- · Heater, Water 6-gallon electric/engine heat

DIMENSIONS

- Length Overall 34' 11" / 10.64m (w/bow roller)
- Waterline length 33' 11"
- Beam 11' 4" / 3.5m
- Draft 3' 9" / 1.14m
- Height from Waterline-top to stack top 10' 0" / 3.05m
- Displacement Weight 15,700 lbs / 7,127kg
- Headroom Salon 6' 6" / 1.98m
- Headroom Forward Cabin 6' 3" / 1.90m
- Headroom Pilot House 6' 7" / 2.00m

OWNERS PACKAGE

- Engine & Reduction Gear manuals
- Component owner's manuals
- Nordic Tug Operators Manual
- 10-micron fuel filter element for main engine
- · Matched gel coat touch-up kit
- Multi-Bit Screwdriver & stainless steel Deck Fitting Key
- · Fenders & docking lines
- · Shaft Seal Collar O-Ring Kit
- · Container box w/ lid

